



Certificate of Analysis

Sample: DE10504017-001
Harvest/Lot ID: 8910009
Seed to Sale # 1A4000B00010D25000000189

Batch Date : 04/19/21

Batch#: MO36707

Sample Size Received: 3 ml

Total Weight/Volume: N/A

Retail Product Size: 30 gram

Ordered : 05/03/21

sampled : 05/03/21

Completed: 05/08/21 Expires: 05/08/22

Sampling Method: SOP-024

PASSED

Page 1 of 2

May 10, 2021 | Hemplucid

License # NA

4844 N. 300 W. Ste. 202

Provo, CO, 84604, US

hemplucid.

PRODUCT IMAGE SAFETY RESULTS


Pesticides

NOT TESTED



Heavy Metals

NOT TESTED



Microbials

PASSED


Mycotoxins

NOT TESTED


Residuals
Solvents

NOT TESTED



Filth

NOT TESTED



Water Activity

NOT TESTED



Moisture

NOT TESTED



Homogeneity

NOT TESTED



Terpenes

**NOT
TESTED**
MISC.



Certificate of Analysis

PASSED

 4844 N. 300 W. Ste. 202
 Provo, CO, 84604, US
Telephone: 7192318261
Email: sarah@hemplucid.com
License #: NA

Sample : DE10504017-001
Harvest/LOT ID: 8910009
Batch# : M036707
Sampled : 05/03/21
Ordered : 05/03/21
Sample Size Received : 3 ml
Total Weight/Volume : N/A
Completed : 05/08/21 Expires: 05/08/22
Sample Method : SOP-024

Page 2 of 2

	Microbials	PASSED
--	-------------------	---------------

Analyte	LOD	Result
TOTAL YEAST AND MOLD		not present in 1 gram.
SHIGA_TOXIN_PRODUCING_ESCHERICHIA_COLI_STEC		not present in 1 gram.
SALMONELLA_SPECIES		not present in 1 gram.

Analysis Method -SOP-061 (R2); SOP-062 (R2); SOP-063 (R1)
Analytical Batch -DE001848MIC Batch Date : 05/05/21
Instrument Used : Microbial - Full Panel
Running On :

Analyzed by	Weight	Extraction date	Extracted By
6	2.7g	05/08/21	6

Reagent	Reagent	Reagent	Consums. ID	Consums. ID
042921.R11	041421.R09	022221.15	0	NT10-1212
022321.R13	050421.R04	022221.16	40898-021C4-021AI	20/08/30
041321.R05	041521.01	061020.02	MKCN2192	00019
050421.R02	031121.07	050621.R03	1	00100
041421.R12	040221.01	050721.R08	12123-046CC-046	CH_2048639
041521.R07	052620.04	040121.20	2	

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.