



Certificate of Analysis

Sample: DE10429014-003

Harvest/Lot ID: 9140012

Seed to Sale #1A4000B00010D25000000183

Batch Date : 04/26/21

Batch#: MO39420

Sample Size Received: 5 ml

Total Weight/Volume: N/A

Retail Product Size: 30 ml

Ordered : 04/29/21

sampled : 04/29/21

Completed: 05/03/21 Expires: 05/03/22

Sampling Method: SOP-024

PASSED

Page 1 of 2

May 03, 2021 | Hemplucid

License # NA

4844 N. 300 W. Ste. 202

Provo, CO, 84604, US


hemplucid.

SAFETY RESULTS



Pesticides

NOT TESTED



Heavy Metals

NOT TESTED



Microbials

PASSED



Mycotoxins

NOT TESTED



Residuals
Solvents

NOT TESTED



Filth

NOT TESTED



Water Activity

NOT TESTED



Moisture

NOT TESTED



Homogeneity

NOT TESTED



Terpenes

NOT
TESTED

MISC.



Certificate of Analysis

PASSED

 4844 N. 300 W. Ste. 202
 Provo, CO, 84604, US
Telephone: 7192318261
Email: sarah@hemplucid.com
License #: NA

Sample : DE10429014-003
Harvest/LOT ID: 9140012
Batch# : MO39420
Sampled : 04/29/21
Ordered : 04/29/21
Sample Size Received : 5 ml
Total Weight/Volume : N/A
Completed : 05/03/21 Expires: 05/03/22
Sample Method : SOP-024

Page 2 of 2

	Microbials	PASSED
--	-------------------	---------------

Analyte	LOD	Result
TOTAL YEAST AND MOLD		not present in 1 gram.
SHIGA_TOXIN_PRODUCING_ESCHERICHIA_COLI_STEC		not present in 1 gram.
SALMONELLA_SPECIES		not present in 1 gram.

Analysis Method -SOP-061 (R2); SOP-062 (R2); SOP-063 (R1)
Analytical Batch -DE001827MIC Batch Date : 04/30/21
Instrument Used : Microbial - Full Panel
Running On :

Analyzed by	Weight	Extraction date	Extracted By
6	2g	05/03/21	6

Reagent Reagent Reagent Reagent Consums. ID Consums. ID

032521.R15	041321.R05	021221.02	043021.R01	1057-225-000	NT10-1212
041421.R08	041421.R12	031121.07	040121.18	40898-021C4-021AI	3
041421.R07	041321.02	040221.01		12104-042CC-042	00019
043021.R02	042721.02	022221.15		0	00100
042621.R12	042821.01	022221.14		1	CH_2048639
022321.R13	100419.03	042921.R12		2	

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.