

879 Federal Blvd Denver, CO, 80204, USA

Certificate of Analysis

Sep 15, 2021 | Hemplucid

4844 N. 300 W. Ste. 202 Provo, UT, 84604, US

hem@lucid



HLO-WS500

Matrix: Infused



Sample: DE10824007-003

Harvest/Lot ID: 8460018

Seed to Sale# 1A4000B00010D25000000541

Batch Date: 08/18/21 Batch#: MO64236/MO64241

Sample Size Received: 3 ml Total Weight/Volume: N/A

Retail Product Size: 30 gram

Ordered: 08/19/21 sampled: 08/19/21

Completed: 08/27/21 Expires: 08/27/22

Sampling Method: SOP-024

PASSED

Page 1 of 2

PRODUCT IMAGE

SAFETY RESULTS



Pesticides









Solvents NOT TESTED





Water Activity







This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Stephen Goldman

Lab Director

State License # 405R-00011 405-00008 ISO Accreditation # 4331.01

08/27/21

Signature

Signed On



879 Federal Blvd Denver, CO, 80204, USA

4844 N. 300 W. Ste. 202

Telephone: 7192318261

Email: sarah@hemplucid.com

Provo, UT, 84604, US



HLO-WS500 Matrix: Infused



PASSED

Page 2 of 2

Certificate of Analysis

LOD

Sample: DE10824007-003

MO64236/MO64241 Sampled: 08/19/21

Ordered: 08/19/21

Harvest/LOT ID: 8460018 Batch#: Sample Size Received: 3 ml

Completed: 08/27/21 Expires: 08/27/22

Sample Method: SOP-024

Total Weight/Volume: N/A

License #:

Microbials

PASSED

Result

not present in 1 gram.

not present in 1 gram

not present in 1 gram.

Analyte

TOTAL YEAST AND MOLD SHIGA_TOXIN_PRODUCING_ESCHERICHIA_COLI_STEC SALMONELLA_SPECIES

Analysis Method -SOP-061 (R2); SOP-062 (R2); SOP-063 (R1) Analytical Batch -DE002312MIC Batch Date: 08/24/21 09:44:25

Instrument Used : Microbial - Full Panel Running On: 08/24/21 15:41:03

Analyzed by

Weight **Extraction date** 2.58g 08/24/21 03:08:43

Extracted By

Reagent Reagent Reagent Consums. ID Consums. ID

080321.R12 071321.12 070821.01 072821.16 16564-106C6-106H 1 072921.R09 080221.R13 050521.02 072821.17 40898-021C4-021AI 00102 082321.R13 082421.R06 100419.03 210316-361-B 082421.R11 052021.R16 082421.02 08521045 CH_2048055 081821.R02 082021.R03 082321.R08 NT10-1212

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310. This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is

Stephen Goldman

Lab Director

State License # 405R-00011 405-00008 ISO Accreditation # 4331.01

08/27/21

Signature Signed On