

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RK0595249

Certificate of Analysis

Mar 25, 2022 | Hemplucid

Provo, UT, 84604, US



Matrix: Edible



Sample: KN20324001-001 Harvest/Lot ID: 1580009

> Batch#: PO377(A) Seed to Sale# N/A Batch Date: 03/18/22

Sample Size Received: 11 units

Total Weight/Volume: N/A Retail Product Size: 0.09 mg

> ordered: 03/21/22 sampled: 03/21/22

Completed: 03/25/22 Expires: 03/25/23 Sampling Method: SOP Client Method

PASSED

Page 1 of 1



PRODUCT IMAGE

SAFETY RESULTS



CANNABINOID RESULTS



Pesticides











Solvents NOT TESTED









MISC.

Total THC/Strip: 0.024 mg





Total Cannabinoids

Total Cannabinoids/Strip: 16.67

					_														
%	TOTAL THC 0.027	0.016	ND ND	<0.01	CBDA ND	CBGA ND	CBG ND	0.016	0.021	0.116	ND EXO-THC	0.027	D8-THC 18.167	0.022	свс 0.153	THCA ND	ND ND	ND ND	THC-O ND
mg/unit	0.024	0.014	ND	<0.009	ND	ND	ND	0.014	0.018	0.104	ND	0.024	16.35	0.019	0.137	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001	0.001	0.001	0.002	0.002	0.002
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	96				

Cannabinoid Profile Test

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310. This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is

Sue Ferguson

State License # n/a ISO Accreditation # 17025:2017



03/25/22

Signature

Signed On