

879 Federal Blvd Denver, CO, 80204, USA

# Certificate of Analysis

Jan 09, 2021 | Hemplucid

4844 N. 300 W. Ste. 202 Provo, CO, 84604, US

hem@lucid

# Phytatech Labs

HLO-WS500

Matrix: Infused



Sample: DE10106003-005

Harvest/Lot ID: 8460003

Seed to Sale #1A400031269FB2B000000883 Batch Date: 12/07/20

Batch#: MO10557

Sample Size Received: 10 units

Retail Product Size: 30

Ordered: 12/31/20

Sampled: 12/31/20

Completed: 01/09/21 Expires: 01/09/22

Sampling Method: SOP-024

## **PASSED**

Page 1 of 2

**SAFETY RESULTS** 









Microbials Mycotoxins **PASSED** 



Residuals Solvents NOT TESTED



NOT TESTED NOT TESTED NOT



Water Activity



Moisture **TESTED NOT** 



Homogeneity



MISC.

Terpenes NOT **TESTED** 

This report shall not be reproduced, unless in its entirety, without written approval from Phytatech Labs. This report is an Phytatech Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

#### Stephen Goldman

Lab Director

State License # 405R-00011 405-00008 ISO Accreditation # 4331.01

01/09/2021

Signature

Signed On



879 Federal Blvd Denver, CO, 80204, USA

## **Phytatech Labs**

HLO-WS500 Matrix: Infused



**Certificate of Analysis** 

**PASSED** 

#### Hemplucid

4844 N. 300 W. Ste. 202 Provo, CO, 84604, US Telephone: 7192318261 Email: sarah@hemplucid.com

License #: NA

Sample: DE10106003-005 Harvest/LOT ID: 8460003

Batch#: MO10557 Sampled: 12/31/20 Ordered: 12/31/20

LOD

Sample Size Received: 10 units Completed: 01/09/21 Expires: 01/09/22

Sample Method: SOP-024

Page 2 of 2



### **Microbials**

## **PASSED**



Result Reagent

## **Heavy Metals**



SALMONELLA\_SPECIES SHIGA\_TOXIN\_PRODUCING\_ESCHERICHIA\_COLI\_STEC TOTAL\_YEAST\_AND\_MOLD

Analysis Method -SOP-061 (R2); SOP-062 (R2); SOP-063 (R1) Analytical Batch -DE001359MIC Batch Date: 01/06/21 Instrument Used : Microbial - Full Panel

Running On: 01/07/21

Analyzed by 6	Weight 1.78g	Extraction 01/07/21	on date	Extracted By	
Reagent	Reagent	Reagent	Consums. ID	Consums. ID	
120320.01	010221.R02	040519.02	040C7-0142	0	
121020.R01	010721.R12	081220.02	12054-036CC-036	NT10-1212	
111020.R04	122320.R12	110620.R01	NT10-1212	040C7-0142	
123020.17	121420.05	120520.R02	61338-025C6-025H	00100	
120120.R06	010721.R11	112020.02	40898-021C4-021AI	00019	
082720.26	122720.R02	100419.03	06520022		
ARCHITECTURE CONTRACTOR		and the same of		D 11 (DCD) 11 1 1	

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Reagent	Dilution	Consums. ID

	V4 - 1 / 1	25 / 11	// T	D II	1
	010421.R09				
	122120.R07				
	081020.02			9230	24-923AK
not present in 1 gram.	010421.R01			1205	4-036CC-036
not present in 1 gram.				0400	CB-040D
not present in 1 gram.		010421.01	50	0180	C4-018D

	Metal	LOD	Unit	Result	Action Level (PPM)	
	ARSENIC	0.0020	ppm	ND	1.5	
	CADMIUM	0.0016	ppm	ND	0.5	
	MERCURY	0.0035	ppm	ND	1	
	LEAD	0.0101	ppm	ND	1	
	Analyzed by	Weight	Extraction	n date	Extracted By	
7		0.2279g	01/06/21 04:01:53		666	
	Analysis Method -SOP-050 (R5)					

Analytical Batch -DE001350HEA | Reviewed On - 01/07/21 08:33:28

Instrument Used: Shimadzu 2030 ICP-MS Running On: 01/06/21 16:39:12

Batch Date: 01/05/21 08:44:23

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen to below single digit ppb concentrations for regulated heavy metals using method SOP-050 (R5). Sample preparation for Heavy Metals Analysis via SOP-050

This report shall not be reproduced, unless in its entirety, without written approval from Phytatech Labs. This report is an Phytatech Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

#### Stephen Goldman

Lab Director

State License # 405R-00011 405-00008 ISO Accreditation # 4331.01

01/09/2021

Signature

Signed On