

879 Federal Blvd Denver, CO, 80204, USA

Certificate of Analysis

Jan 31, 2021 | Hemplucid

4844 N. 300 W. Ste. 202 Provo, CO, 84604, US

hem@lucid

Phytatech Labs

HLO-WS1000

Matrix: Infused



Sample: DE10126014-018

Harvest/Lot ID: 8530006

Seed to Sale #1A400031269FB2B000000943 Batch Date: 01/13/21

Batch#: MO21956

Sample Size Received: 1 units

Retail Product Size: 30

Ordered: 01/21/21

Sampled: 01/21/21

Completed: 01/31/21 Expires: 01/31/22 Sampling Method: SOP-024

PASSED

Page 1 of 2

SAFETY RESULTS







Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins



Residuals Solvents NOT TESTED



Water Activity NOT TESTED NOT TESTED NOT



Moisture



Homogeneity **TESTED NOT**



MISC.

Terpenes NOT **TESTED**

This report shall not be reproduced, unless in its entirety, without written approval from Phytatech Labs. This report is an Phytatech Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Stephen Goldman

Lab Director

State License # 405R-00011 405-00008 ISO Accreditation # 4331.01

01/31/2021

Signature Signed On



879 Federal Blvd Denver, CO, 80204, USA

Phytatech Labs

HLO-WS1000

Matrix: Infused



Certificate of Analysis

PASSED

Hemplucid

4844 N. 300 W. Ste. 202 Provo, CO, 84604, US Telephone: 7192318261 Email: sarah@hemplucid.com

License #: NA

Sample: DE10126014-018 Harvest/LOT ID: 8530006

Batch#: MO21956 Sampled: 01/21/21 Ordered: 01/21/21

LOD

Sample Size Received: 1 units Completed: 01/31/21 Expires: 01/31/22

Sample Method: SOP-024

Page 2 of 2



Microbials

PASSED



Result Reagent not present in 1 gram. 111020.01

Heavy Metals



SALMONELLA_SPECIES SHIGA_TOXIN_PRODUCING_ESCHERICHIA_COLI_STEC TOTAL_YEAST_AND_MOLD

Analysis Method -SOP-061 (R2); SOP-062 (R2); SOP-063 (R1) Analytical Batch -DE001437MIC Batch Date: 01/27/21 Instrument Used : Microbial - Full Panel

Running On: 01/27/21

Analyzed by 6	Weight Extrac 2.64g 01/27/2		cion date	Extracted By 5	
Reagent	Reagent	Reagent	Consums. ID	Consums. ID	
010621.R01	110620.R01	011621.03	61338-025C6-025H	NT10-1212	
121520.R09	012621.R11	082720.34	40898-021C4-021AI	040C7-0142	
012721.R02	120520.R02	012221.R11	MKCN2192	61464-041C6-041H	
123020.17	112020.02	012721.R01	12054-036CC-036	00019	
012621.R10	081220.02	012621.01	06520022	CH 2047174	
012521.R05	100419.03		0		
AND THE RESERVE				D II (DCD) II I	

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Reagent	Dilution	Consums. II			
012621.R07	50	018C4-018D			
		040CB-040			

not present in a grain.		012621.RU/	50	018C4-018D
not present in 1 gram.				040CB-040D
not present in 1 gram.	071620.05			12054-036CC-036
	011321.R06			923C4-923AK
	011521.R17			
	012621.R08			
			1/1/1/1	M M M M M M

Metal	LOD	Unit	Result	Action Level (PP	M)
ARSENIC	0.0020	ppm	ND	1.5	
CADMIUM	0.0016	ppm	ND	0.5	
MERCURY	0.0035	ppm	ND	1	
LEAD	0.0101	ppm	ND	1	
Analyzed by	Weight	Extraction date		Extracted By	
7	0.2175g	01/27/21 03:01:00		666	
Analysis Mothed S	OR OFO (RE)				

Analytical Batch -DE001435HEA | Reviewed On - 01/28/21 09:14:06

Instrument Used: Shimadzu 2030 ICP-MS Running On: 01/27/21 15:25:28

Batch Date: 01/26/21 12:41:28

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen to below single digit ppb concentrations for regulated heavy metals using method SOP-050 (R5). Sample preparation for Heavy Metals Analysis via SOP-050

This report shall not be reproduced, unless in its entirety, without written approval from Phytatech Labs. This report is an Phytatech Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Stephen Goldman

Lab Director

State License # 405R-00011 405-00008 ISO Accreditation # 4331.01

01/31/2021

Signature

Signed On